

EAST - [0.wsp:1]

FileViewEditToolsWindowHelp

L1: (16) "3"D adj rail

L2: (107812) field adj effect adj transistor\$1

L3: (361) 2 near array\$1

L4: (107812) field adj effect adj transistor\$1

L5: (279080) three adj dimension\$3

L6: (25475) "3" adj dimension\$3

L7: (27) 3 and 5

L8: (0) "3"D adj FET adj arrays

L9: (90) "3"D near arrays

L10: (279080) three adj dimension\$3

L11: (361) 4 near array\$1

L12: (27) 11 and 10

L13: (833) 5 near arrays

L14: (3317) three adj dimension\$3 adj array\$1

L15: (130) 4 and 14

USPAT, US-PUB, EPO, JPO, DERWENT, ISM, IDB

Default operator: OR

4 and 14

10/15/04  
TTN

AS BRS formAS E&R formImageTextHTML

|    | U                        | I                        | Document ID    | Issue Date | Pages | Title                                 | Current OR | Current XRef | Retrieval Cla | Inventor                      | S                        | C                        | P                        | 2                        | 3                        | 4                        | 5                        | 6                        | 7                        | 8                        | 9                        | 10                       | 11                       | 12                       | 13                       | 14                       | 15                       |
|----|--------------------------|--------------------------|----------------|------------|-------|---------------------------------------|------------|--------------|---------------|-------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040188714 | 20040930   | 28    | Three-dimensional memory device       | 257/200    |              |               | Scheuerlein, Roy E. et al.    | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040175844 | 20040909   | 30    | Incorporating segmented bit line mem  | 438/2      |              |               | Yang, Peidong et al.          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040165461 | 20040826   | 16    | Sacrificial template method of        | 365/203    |              |               | Nejad, Hasan et al.           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040165421 | 20040826   | 16    | fabricating a nanotube                | 365/158    |              |               | Nejad, Hasan et al.           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040159860 | 20040819   | 28    | Stacked columnar 1T-nMTJ MRAM         | 257/213    |              |               | Patel, Kedar et al.           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 6  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040151014 | 20040805   | 39    | structure and its method of formation | 365/49     |              |               | Speakman, Stuart Philip       | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040144985 | 20040729   | 16    | High density 3d rail stack arrays and | 257/79     |              |               | Zhang, Zhibo et al.           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 8  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040126635 | 20040701   | 41    | method of making                      | 429/23     | 429/9        |               | Pearson, Martin T.            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 9  | <input type="checkbox"/> | <input type="checkbox"/> | US 20040120186 | 20040624   | 31    | Optoelectronic devices having arrays  | 365/185.2  | 365/185.11;  |               | Fasoli, Luca et al.           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 10 | <input type="checkbox"/> | <input type="checkbox"/> | US 20040119122 | 20040624   | 25    | Electric power plant with adjustable  | 257/390    | 365/185.18;  |               | Ilkbahar, Alper et al.        | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 11 | <input type="checkbox"/> | <input type="checkbox"/> | US 20040080578 | 20040429   | 26    | array of fuel cell systems            | 347/54     |              |               | Dunfield, John Stephen et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 12 | <input type="checkbox"/> | <input type="checkbox"/> | US 20040073875 | 20040415   | 12    | Semiconductor device with localized   | 716/4      |              |               | Kitchin, John F.              | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 13 | <input type="checkbox"/> | <input type="checkbox"/> | US 20040057276 | 20040325   | 16    | charge storage dielectric and method  | 365/158    |              |               | Nejad, Hasan et al.           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 14 | <input type="checkbox"/> | <input type="checkbox"/> | US 20040009380 | 20040115   | 34    | Fluid ejector apparatus and methods   | 429/23     | 429/12;      |               | Pearson, Martin T.            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 15 | <input type="checkbox"/> | <input type="checkbox"/> | US 20040000679 | 20040101   | 26    | Adjustable array of fuel cell systems | 257/216    | 429/13       |               | Patel, Kedar et al.           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|    |                          |                          |                |            |       | High density 3D rail stack arrays and |            | 257/E27.06;  |               |                               |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |
|    |                          |                          |                |            |       | method of making                      |            |              |               |                               |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |

Ready

NUM

| L Number | Hits   | Search Text   | DB  | Time stamp       |
|----------|--------|---|---|------------------|
| 1        | 16     | "3"D adj rail   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 15:55 |
| 2        | 107812 | field adj effect adj transistor\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 15:56 |
| 3        | 361    | (field adj effect adj transistor\$1) near array\$1                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 15:56 |
| 4        | 107812 | field adj effect adj transistor\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 15:57 |
| 5        | 279080 | three adj dimension\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 17:37 |
| 6        | 25475  | "3" adj dimension\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 15:58 |
| 7        | 27     | ((field adj effect adj transistor\$1) near array\$1) and (three adj dimension\$3) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 16:02 |
| 8        | 0      | "3"D adj FET adj arrays   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 16:03 |
| 9        | 90     | "3"D near arrays  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 16:03 |
| 10       | 279080 | three adj dimension\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 17:37 |
| 11       | 361    | (field adj effect adj transistor\$1) near array\$1                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 16:06 |
| 12       | 27     | ((field adj effect adj transistor\$1) near array\$1) and (three adj dimension\$3) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 16:06 |

|    |      |  |   |                  |
|----|------|--|---|------------------|
| 13 | 833  | (three adj dimension\$3) near arrays   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 17:37 |
| 14 | 3317 | three adj dimension\$3 adj array\$1  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 17:37 |
| 15 | 130  | (field adj effect adj transistor\$1) and (three adj dimension\$3 adj array\$1) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/15 17:38 |